

MM Efficient Gadget LLP - Product Catalog

S.No.	Image	Product Name	Catalog Number	Product Information	MRP
1		Door Closer DC 2500 Series	DC 2500	<p>Extruded Aluminium Alloy Housing Precociously Machined & Finished Two Speed Control for Approach & Latching Jerk Free, Smooth Operation Controlled by Rack & Pinion Mechanism Universal Mounting for Left & Right Hand Doors without adjustment Suitable for Wooden & Metal Framed Doors ISI Marked as per IS 3564:1995 & CE Marked Preloading of Arm for adjusting closing force EN2-4 Inbuilt Hold Open option which helps to hold the door from 10° to 90° Tested for 5 Lakh cycles from Govt. Approved Lab</p>	2570
2		Door Closer DC 2900 HD Series	DC 2900 HD	<p>Extruded Aluminium Alloy Housing, Body Precisously Machined & Finished Two Speed Control for Approach & Latching Jerk-free, Smooth Operation Controlled by Rack & Pinion Mechanism Suitable for Wooden & Metal Framed Doors Suitable for On Door & On Frame installation Universal Mounting for Left & Right Hand Doors without adjustment Adjustable Lever Arm for adjusting closing force EN2-4 Specially designed to withstand heavy wind pressure application</p>	2882
3		Door Closer DC 2600 Series	DC 2600	<p>Extruded Aluminium Alloy Housing Precociously Machined & Finished Two Speed Control for Approach & Latching Jerk Free, Smooth Operation Controlled by Rack & Pinion Mechanism Universal Mounting for Left & Right Hand Doors without adjustment Suitable for Wooden & Metal Framed Doors ISI Marked as per IS 3564:1995 & CE Marked Preloading of Arm for adjusting closing force EN2-4 Inbuilt Hold Open option which helps to hold the door from 10° to 90° Tested for 5 Lakh cycles from Govt. Approved Lab</p>	2616

4		Door Closer DC 2800 Series	DC 2800	<p>Extruded Aluminium Alloy Housing Body Precisely Machined and Finished Two Speed Control from Both Sides Jerk Free, Smooth Operation Controlled by Rack & Pinion Mechanism Suitable for Left and Right Hand Door Opening Leak Proof Design Chrome Platted Mounting Strip Suitable only for Wooden Doors Preloading of Arm for adjusting closing force EN2-4 Suitable for Door Thickness minimum 38mm Inbuilt Hold Open option which helps to hold the door from 10° to 90°</p>	3108
5		Door Closer DC 1500 Series	DC 1500	<p>Extruded Aluminium Alloy Housing Body Precisely Machined & Finished Jerk Free, Smooth Operation Controlled by Rack & Pinion Mechanism Slim Compact Design for Easy to Installation Suitable for On door & On Frame Installation Less Mounting Hole Distance for Limited Space of Aluminium Section Universal Mounting for Left and Right Hand Door Suitable for Wooden & Aluminium Doors Adjustable Lever Arm for Adjustment of closing force EN1-2 ISI Marked as per IS 3564:1995 3 Lakh Cycles Tested</p>	1464
6		Door Closer DC 2000 Lever Arm Series	DC 2000 LA	<p>Extruded Aluminium Alloy Housing Precisely Machined & Finished Two Speed Control for Approach & Latching Jerk-free, Smooth Operation Controlled by Rack & Pinion Mechanism Suitable for Wooden & Metal Framed Doors Suitable for On Door & On Frame installation Universal Mounting for Left & Right Hand Doors without adjustment Adjustable Lever Arm for adjusting closing force EN2-4 ISI Marked as per IS 3564:1995 & CE Marked Tested for 5 Lakh cycles from Govt. Approved Lab</p>	2250
7		Floor Spring FS 3000-UV-SSM	FS 3000-UV-SSM	<p>Aluminum Pressure Die cast Housing with Black Powder Coated Over Zinc Platted Tin Box Two Speed Controls for Approach and Latching Built in Hold open at 90° Back Check to Prevent Door & Wall Damage Load Adjustment from 60 to 100 kgs with load adjustment screw Suitable for Wooden and glass Door Available with Top and Bottom Pivot accessories for wooden door Light Weight for easy handling with Gross Weight of 3.5 Kgs</p>	6524

8		Floor Spring FS 3000-UV-SSM-WF	FS 3000-UV-SSM-WF	Alluminium Pressure Die Cast Housing Slim & Compact Size Light Weight for easy handling (3.5 Kgs) Two Speed Controls Built in Hold Open at 90° Back - Check to Prevent Door & Wall Damage Adjustable Closing Strength Suitable for Wooden & Glass Door Back - Check to Prevent Door & Wall Damage Available with wooden door top and bottom accessories	7703
9		Door Stopper DHS-9501	DHS-9501 SSF	Aluminium Pressure Die Casted Housing Body having long self-life Foot operated, Press-Stop-Press-Release functioning Sturdy and Elegant Design Jerk-free, Smooth Operation Adjustable and Replaceable Rubber shoes Hold Door during High Wind Pressure Available in SS and Powder Coated finish	360
10		Door Stopper DHS-9502	DHS-9502	Plastic Moulded Housing Body Foot operated, Press-Stop-Press-Release functioning Sturdy and Elegant Design Jerk-free, Smooth Operation Adjustable and Replaceable Rubber shoes Hold Door during High Wind Pressure	105
11		Door Buffer MMDB-9505	MMDB-9505	Special Grade Poly Urethane Rubber Body gives better Self Life High Impact Resistance ABS back plate Door Buffer gives suspension during impact and Avoid Door to Wall, Door to Glass contact Minimize Door Damages Air Ventilation holes allows Buffer to its original position after each impact Very Compact size of Dia.50mm x 35mm No need of drilling holes for installations and easily replaceable Available with Off-White, Green Color	105
12		Furniture Hardware LMP-CAM Lock	LMP-CAM	Available with Dia. Ø19mm Barrel 32 mm long lockin strip Brass chrome plated keys	260
13		Furniture Hardware Multi-Drawer Lock	Multi-Drawer Lock	Suitable for Locking wooden drawers and cabinets Keys serial changes after every 500 series Lock directly riveted with Anodized Aluminium Sliding Strip Chromium electroplated Housing with Moulded Brass keys Very ideal for locking Multi Drawer with one Lock control	420

14		Furniture Hardware Multi-Purpose Drawer Lock	Multi- Purpose Drawer Lock	Suitable for Locking wooden drawers and cabinets Keys serial changes after every 500 series Available with 19, 27 and 32 mm Barrel length Set Lock Available in set of 2,3,4,6,8,10,12,50 &100 common keys Chromium electroplated Housing with Moulded Brass keys	242
15		Furniture Hardware LMP-OFF	LMP- OFF	Available with Dia. Ø 19mm Barrel length 360° locking strip travel Brass chrome plated insert moulded keys	270
16		Drawer Handles D Handles	D Handles	Material: Stainless Steel Size: Dia.10mm PCD: 64mm, 96mm, 128mm, 192mm Thread Size 3/16"BSW Finish Matt	112
17		Drawer Handles Bow Handles	Bow Handles	Code Series: HSS-910 (Stainless Steel) HSS-901 (MS Powder Coated) Size: Dia.8mm PCD: 64mm, 96mm, 160mm Thread Size 3/16"BSW Finish: Stainless Steel Matt Powder Coated Black Powder Coated Off-White	169
18		Drawer Handles MMCH- 1004 Carrying Handle	MMCH- 1004 Carrying Handle	Aluminium Die Casted Housing Body with Handle Hand grip is spring-loaded so that it remains rigid in the extended position Load capacity of handle is 100kgs. Powder coated Multi Colour Finish Suitable for Heavy Drawer application	450
19		Castor Wheels CWT-9503 (Without Break)	CWT- 9503 (Without Break)	Smooth, Noise Proof and Jerk Free Rolling Dust free thrust bearing ball race for enhanced durability Special oil resistant Rubber Wheel Non Corrosive Epoxy Powder Coated Housing Available with and Without Break Option Available with Plate Mounting and Stud Mounting Size: Dia.75mm x Width 28mm with centre 32mm Wheel tested for weight up to 80 kgs for safe operation Break Tested for 80 kgs load Suitable for Hospital Beds, Heavy Trolleys, Cupboards	330

20		<p>Castor Wheels CWT-9504 (With Break)</p>	<p>CWT- 9504 (With Break)</p>	<p>Smooth, Noise Proof and Jerk Free Rolling Dust free thrust bearing ball race for enhanced durability Special oil resistant Rubber Wheel Non Corrosive Epoxy Powder Coated Housing Available with and Without Break Option Available with Plate Mounting and Stud Mounting Size: Dia.75mm x Width 28mm with centre 32mm Wheel tested for weight up to 80kgs for safe operation Break Tested for 80kgs load Suitable for Hospital Beds, Heavy Trollies, Cupboards</p>	390
----	---	--	---	--	-----

For More Information - Please feel free to contact

Mr. Suhas D Prabhu

MM Efficient Gadget LLP

109, 1st Floor, S K Industrial Park, Waliv Village, Vasai East, Mumbai City, Maharashtra,
400602

Vasai, Maharashtra

Mobile: 9136826062

Email: cmo@mmegllp.com

Website: <https://www.mmegllp.com/>

Generated by Vanik.com